











## DECLARATION OF CONFORMITY No 68/I/2024

- 1. Manufacturer of the construction product: Izobud Sp. z o.o., ul. Leśna 4, Łąki Kozielskie, 47-150 Leśnica, Poland
- 2. Name of the construction product: Ventilation bitumen membrane IZOBIT PP-50/700
- 3. Classification of the construction product: 23.99.12.0
- 4. Intended use and application scope of the construction product:

For creating a ventilation layer in multi-layer roofing systems

5. Technical specification:

National Technical Assessment IMBiGS-KOT-2020/0023, Issue 1

"Ventilation bitumen membrane IZOBIT PP-50/700"

issued on 15.06. 2020 by the Łukasiewicz Research Network - Institute of Mechanization of Construction and Rock Mining, Katowice.

6. Declared performance properties of the construction product:

No.	Declared characteristic		<u>Value</u>	
1.	Dimensions *	width	1,0 m (±1 %)	
		length	20 m (±1 %)	
		thickness	2,1 mm (± 5 %)	
2.	traightness (maximum deviation)		1,0 mm (±5%)	
3.	Concentration of natural radioactive elements: - fl - f2, Bq/kg		not more than 1 not more than 185	
4.	Content of chloroform-soluble components		not less than 700 g/m²	
5.	Flexibility at 0°C - top surface - bottom surface		no cracks no cracks	
6.	Resistance to temperature of 70°C for 2 hours		no mass flow allowed	
7.	Perforation diameter		40 mm (± 5%)	
8.	Membrane perforation		not less than 12%	

<sup>\*</sup> the possibility of producing roofing felt with different length and/or width is permitted, provided that the length and/or width values determined in testing are not less than those declared by the manufacturer.

7. Name and number of the accredited certification body and/or laboratory, as well as the certificate number and/or type test report number, if such a body participated in the applied conformity assessment system for the construction product: Łukasiewicz-IMBiGS, Łukasiewicz Research Network – Institute of Mechanization of Construction and Rock Mining Al. W. Korfantego 193, 40-157 Katowice.

Test report No. 81/20/135/P-1.

8. I hereby declare full responsibility that the construction product complies with the technical specification indicated in point 5.

In the name of the producer signed by:

Mr. Joachim Sekler

NIZOBUDA Sp.zo.o.

Łąki Kozielskie, 09.01.2024