



## DECLARATION OF PERFORMANCE No 001/IZOB/2025

- Unique identification code of the product-type: **SBS-modified bitumen torch-on cap sheet**  
**IZOBIT SUPER W-PYE 250 S 53 SBS**
- Intended use or uses:
  - Waterproofing of roofs, subject to reaction to fire testing**
  - Waterproofing of roofs**
  - Waterproofing of roofs, subject to external fire exposure testing**
- Manufacturer:  
**Izobud Sp. z o.o., ul. Leśna 4, Łąki Kozielskie, 47-150 Leśnica, Poland**
- Systems of assessment and verification of constancy of performance:  
**System 2+ for application type: b    System 3 for application type: a, c**
- Harmonized standard:  
**EN 13707:2004+A2:2009**  
Notified body:  
**1023, 1488, 1454**
- Declared performance:

<b><i>Essential characteristics</i></b>	<b><i>Performance characteristics</i></b>			<b><i>Harmonized standard</i></b>
Watertightness	(method B)		10 kPa	EN 13707:2004+A2:2009
Reaction to fire			class E	
External fire performance			Broof (t1); Broof (t2); Broof (t3)	
Flexibility at low temperature			≤-28°C	
Resistance to root penetration			NPD	
Resistance to static loading	(method A)		20 kg	
Resistance to impact	(method A, method B)		2000 mm	
Tensile strength	max. tensile strength	longitudinal	1100 (± 300) N/50 mm	
		transverse	900 (± 300) N/50 mm	
	elongation at max. tensile strength	longitudinal	60 (± 30) %	
		transverse	60 (± 30) %	
Joint strength	shear resistance	longitudinal overlap	800 (± 300) N/50 mm	
		transverse overlap	1000 (± 300) N/50 mm	
	peel resistance	longitudinal overlap	200 (± 100) N/50 mm	
		transverse overlap	200 (± 100) N/50 mm	
Harmful substances			does not contain	
Durability	flexibility at low temperature		-26 (± 5) °C	
Resistance to tearing	nail	longitudinal	350 (± 150) N	
		transverse	400 (± 150) N	

- The performance of the product above is in accordance with the declared product characteristics. The Declaration of Performance in accordance with Regulation (EU) No 305/2011 is the sole responsibility of the manufacturer named above.

In the name of the producer signed by:  
Mr. Joachim Sekler

»IZOBUD« Sp. z o.o.  
CZŁONEK ZARZĄDU  
Joachim Sekler

Łąki Kozielskie, 10.04.2025