



EXPERT IN MANUFACTURING BITUMEN MEMBRANES

## DECLARATION OF PERFORMANCE No 196/IZOB/2026

1. Unique identification code of the product-type: **SBS-modified bitumen torch-on cap sheet**

### **IZOBIT ULTRA TOP**

2. Intended use or uses:

- a. **Waterproofing of roofs, subject to reaction to fire testing**
- b. **Waterproofing of roofs**
- c. **Waterproofing of roofs, subject to external fire exposure testing**

3. Manufacturer:

**Izobud Sp. z o.o., ul. Leśna 4, Łąki Kozielskie, 47-150 Leśnica, Poland**

4. Systems of assessment and verification of constancy of performance:

**System 2+ for application type: b System 3 for application type: a, c**

5. Harmonized standard:

**EN 13707:2004+A2:2009**

Notified body:

**1023, 1488, 1454**

6. Declared performance:

<b>Essential characteristics</b>	<b>Performance characteristics</b>			<b>Harmonized standard</b>
Watertightness	(method B)		<b>10 kPa</b>	EN 13707:2004+A2:2009
Reaction to fire			<b>class E</b>	
External fire performance			<b>Broof (t1); Broof (t2); Broof (t3)</b>	
Flexibility at low temperature			<b>≤-30°C</b>	
Resistance to root penetration			<b>NPD</b>	
Resistance to static loading	(method A)		<b>≥20 kg</b>	
Resistance to impact	(method A, method B)		<b>≥2000 mm</b>	
Tensile strength	max. tensile strength	longitudinal	<b>1200 (± 200) N/50 mm</b>	
		transverse	<b>1000 (± 200) N/50 mm</b>	
	elongation at max. tensile strength	longitudinal	<b>65 (± 15) %</b>	
		transverse	<b>75 (± 15) %</b>	
Joint strength	shear resistance	longitudinal overlap	<b>900 (± 200) N/50 mm</b>	
		transverse overlap	<b>1100 (± 200) N/50 mm</b>	
	peel resistance	longitudinal overlap	<b>200 (± 100) N/50 mm</b>	
		transverse overlap	<b>200 (± 100) N/50 mm</b>	
Harmful substances			<b>NPD</b>	
Resistance to tearing	nail	longitudinal	<b>450 (± 100) N</b>	
		transverse	<b>500 (± 100) N</b>	
Durability	flexibility at low temperature;		<b>120 (± 10) °C</b>	

7. The performance of the product above is in accordance with the declared product characteristics. The Declaration of Performance in accordance with Regulation (EU) No 305/2011 is the sole responsibility of the manufacturer named above.

In the name of the producer signed by:

Mr. Joachim Sekler

»IZOBUD« Sp. z o.o.  
CZŁONEK ZARZĄDU  
Joachim Sekler

Łąki Kozielskie, 16.01.2026